



MAUVE

# ACCESSIBILITY EVALUATION REPORT





# GLOSSARY

---

**GUIDELINE SET:** set composed of one or more guidelines.

**GUIDELINE:** it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, “Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language”).

**CRITERION:** it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, “All non-text content that is presented to the user has a text alternative that serves the equivalent purpose”).

**CHECKPOINT:** consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as “Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image”.




# EVALUATION OVERVIEW

BASE URL	<a href="https://new.comune.grosseto.it/web">https://new.comune.grosseto.it/web</a>
CRAWLING PARAMETERS	
Number of pages	19
Depth	5
NUMBER OF EVALUATED WEB PAGES	19
EVALUATION DATE	21 set 2023
EVALUATION TIME	12:29:

## MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


96%



## MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

83%





# EVALUATION OVERVIEW

## TOTAL ERRORS

We compute the number of erroneous checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

**15**

TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

**1280**

TOTAL ERROR OCCURENCIES FOUND

**67**

AVERAGE ERROR OCCURENCIES PER PAGE

## TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

**10**

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

**5390**

TOTAL WARNINGS OCCURENCIES FOUND

**283**

AVERAGE WARNING OCCURENCIES PER PAGE



# EVALUATION OVERVIEW

---

## MOST ERRONEUS PAGES

We compute a rank of the most erroneous pages of the website, according to the occurrences of errors found in each evaluated page.


1. <https://new.comune.grosseto.it/web/servizi/disinfestazione-zanzare/>
2. <https://new.comune.grosseto.it/web/>
3. <https://new.comune.grosseto.it/web/servizi-online/>



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/servizi/disinfestazione-zanzare/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	38
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	146
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	63
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/servizi/disinfestazione-zanzare/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	63
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	38
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	146
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>TABLE</b>		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	3



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/servizi/disinfestazione-zanzare/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	38
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	146
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	63
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	3
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14





# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/servizi-online/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	23
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	144
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	71
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/servizi-online/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	71
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	144
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	23
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>TABLE</b>		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/servizi-online/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	144
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	23
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	71
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/statuto/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	120
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/statuto/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	120
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/statuto/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	120
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/lamministrazione/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	150
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	66
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/lamministrazione/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	66
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	150
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/lamministrazione/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	150
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	66





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/aree-tematiche>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	163
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	76
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/aree-tematiche>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	76
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	163
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/aree-tematiche>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	163
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	76



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	293
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	18
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	14



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	134
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	12
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	36
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/albo-pretorio-on-line/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	25
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	9
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	3
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech ARIA7 Using aria-labelledby for link purpose	3
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	76
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	1
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/albo-pretorio-on-line/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 2.4.4 - Tech ARIA7 Using aria-labelledby for link purpose	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	76
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	25
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	9
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	3
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	1
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
<b>RESPONSIVE</b>		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/albo-pretorio-on-line/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	25
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	3
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	1
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
E	SC 2.4.4 - Tech ARIA7 Using aria-labelledby for link purpose	3
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	76
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/gruppiconsiliari/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	131
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	11
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	48
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/gruppiconsiliari/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	48
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	131
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	11
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1






# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/gruppiconsiliari/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	131
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	11
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	48
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/consiglio-comunale/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	102
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	351
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	25
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	159
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	25
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/consiglio-comunale/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	159
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	351
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	102
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	25
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/consiglio-comunale/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	351
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	102
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	25



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	159
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1






# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/giunta-comunale/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	31
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	200
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	80
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	10
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/giunta-comunale/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	200
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	31
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	10
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/giunta-comunale/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	200
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	31
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	10



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/istituzioni/vivarelli-colonna>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	38
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	146
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	60
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1






# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/istituzioni/vivarelli-colonna>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	60
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	38
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	146
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>TABLE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/istituzioni/vivarelli-colonna>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	38
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	146
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	60
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/commissione-pari-opportunita/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	38
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	49
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/commissione-pari-opportunita/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	49
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	38
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/commissione-pari-opportunita/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	38
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	49
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/civiche-benemerenze/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	122
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/civiche-benemerenze/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	122
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>TABLE</b>		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/civiche-benemerenze/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	122
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/cittadinanze-onorarie/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	121
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/cittadinanze-onorarie/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	121
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>TABLE</b>		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/cittadinanze-onorarie/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	121
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	43
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/commissioniconsiliari/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	153
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	52
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/commissioniconsiliari/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	52
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	153
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/commissioniconsiliari/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	153
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	52
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/amministrazione-trasparente/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	180
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	92
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/amministrazione-trasparente/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	92
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	180
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/amministrazione-trasparente/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	180
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	92
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/citta-e-territorio/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	141
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	60
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/citta-e-territorio/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	60
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	141
<b>FORM</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1



# PAGES EVALUATION

PAGE URL: <https://new.comune.grosseto.it/web/citta-e-territorio/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	37
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	141
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	1
<b>HTML</b>		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	60





# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1

---

# HIIS LAB @ ISTI-CNR

---

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1

56124 Pisa Italy

Room: Building B - Entrance 17 - II Floor

**<http://hiis.isti.cnr.it/lab/home>**